

CLEAN VERSION OF AMENDED CLAIMS

24. (amended) A laminated sheet or film comprising the following (co)extruded layers:

a substrate layer comprising - based on the sum of the amounts of the following components A and B and, if used, C and/or D, which totals 100% by weight -

1 - 99% by weight component A, which is of a graft copolymer of

1 - 99% by weight of a particulate graft base A1 comprising the following monomers:

80 - 99.99% by weight of at least one C₁₋₈-alkyl ester of acrylic acid as component A11;

0.01 -20% by weight of at least one polyfunctional crosslinking monomer as component A12;

1 - 99% by weight of a graft A2 comprising the following monomers, based on A2:

40 - 100% by weight of units of styrene, a substituted styrene or a (meth)acrylate, or mixtures thereof, as component A21 and

up to 60% by weight of units of acrylonitrile or methacrylonitrile as component A22;

the graft A2 comprising at least one graft shell and the graft copolymer having a mean particle size of 50 - 1000 nm;

1 - 99% by weight of component B, which is a copolymer of
40 - 100% by weight of units of styrene, a substituted styrene or a
(meth)acrylate, or mixtures thereof, as component B1, and
up to 60% by weight of acrylonitrile or methacrylonitrile as component B2;
0 - 80% by weight of component C, which is a polycarbonate; and
0 - 50% by weight of component D, which is a fibrous or particulate filler or
mixtures thereof;

and

a transparent top layer of polymethyl methacrylate.

25. (amended) A laminated sheet or film as defined in claim 24, additionally
comprising between the top layer and the substrate layer

an (co)extruded interlayer of impact-modified polymethyl methacrylate,
polycarbonate or a molding composition of the substrate layer as set forth in
claim 24 without polycarbonate, if the substrate layer contains polycarbonate.

27. (amended) A laminated film comprising, in this order, the following
(co)extruded layers:

a substrate layer comprising a member selected from the group consisting of
components A and B, and optionally C and D, as set forth in claim 24; ABS;
polycarbonate; polybutylene terephthalate; polyethylene terephthalate;
polyamide; polyetherimide; polyether ketone; polyphenylene sulfide; and

polyphenylene ether or blends thereof, the substrate layer having a layer thickness of from 90 to 990 μm ; and
a transparent top layer comprising a member selected from the group consisting of: polymethyl methacrylate; high-impact polymethyl methacrylate; ABS; polycarbonate; polyethylene terephthalate; styrene-acrylonitrile copolymers; polyamide; and polyether sulfone or polysulfone; the top layer having a layer thickness of from 10 to 100 μm ;
the substrate layer comprising special-effect colorants if the substrate layer and the top layer are composed of polyamide, the overall thickness of the laminated film being from 100 to 1000 μm .

28. (amended) A laminated film as defined in claim 27, additionally comprising between the top layer and the substrate layer

an (co)extruded interlayer of a member selected from the group consisting of: polymethyl methacrylate; high-impact polymethyl methacrylate; ABS; polycarbonate; polyethylene terephthalate; styrene-acrylonitrile copolymers; polyamide; polyether sulfone or polysulfone, the interlayer comprising special-effect colorants and having a layer thickness of from 50 to 400 μm .

29. (amended) A laminated film as defined in claim 28, additionally comprising, on the outer surface of the substrate layer,

an (co)extruded adhesion layer comprising an adhesion promoter and having a

layer thickness of from 5 to 100 μm .

33. (amended) A molding comprising a shaped laminated sheet or film as defined in claim 24, which is backsprayed or back-cast with components A and B, and optionally C and/or D as set forth in claim 24 or with a polyurethane foam, or which is laminated onto a molding comprising the substrate layer as set forth in claim 24, or a polyurethane foam.

35. (amended) A laminated sheet or film as defined in claim 24, wherein a transport protection film is applied to the outside of the top layer.

36. (amended) A molding comprising a shaped laminated sheet or film as defined in claim 25, which is backsprayed or back-cast with the substrate layer as set forth in claim 25 or with a polyurethane foam, or which is laminated onto a molding comprising the substrate layer as set forth in claim 25, or a polyurethane foam.

37. (amended) A molding comprising a shaped laminated sheet or film as defined in claim 31, which is backsprayed or back-cast with the substrate layer or with a polyurethane foam, or which is laminated onto a molding comprising the substrate layer, or a polyurethane foam.

38. (amended) A molding comprising a shaped laminated sheet or film as defined in claim 32, which is backsprayed or back-cast with the substrate layer or with a polyurethane foam, or which is laminated onto a molding comprising the substrate layer, or a polyurethane foam.